



1/15




FIG. 1




FIG. 2




FIG. 3

2/15




FIG. 4

STEP 1:
POLICY DEFINITION

STEP 2:
POLICY TRANSLATION

STEP 3:
POLICY ENFORCEMENT




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 10



I Cube Interface Browser				
Close	Assign	Edit	Delete	Clone
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 20%;">  </div> <div style="width: 60%;"> <div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> Name <input type="text" value="Cube"/> Application <input type="text" value="Cube"/> </div> <div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> Module <input type="text" value="RC.id\$RC/"/> </div> </div> <div style="width: 15%; text-align: right;"> <input type="button" value="X"/> </div> </div>				
<div style="display: flex;"> <div style="width: 25%; border-right: 1px solid black; padding-right: 10px;"> <p> Current Handle</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;">ALL</div> </div> <div style="width: 75%; padding-left: 10px;"> <p>Handles</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <div style="background-color: #cccccc; height: 20px; width: 100%;"></div> <div style="height: 150px;"></div> </div> </div> </div>				
<div style="display: flex;"> <div style="width: 25%; border-right: 1px solid black; padding-right: 10px;"> <p>Description</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;">All view</div> </div> <div style="width: 75%; padding-left: 10px;"> <div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> <div style="width: 45%;"> <p>Inherited Interfaces</p> <div style="border: 1px solid black; height: 100px;"></div> </div> <div style="width: 45%;"> <p>Methods</p> <ul style="list-style-type: none"> <input type="radio"/> getColor <input type="radio"/> rotate <input type="radio"/> scramble <input type="radio"/> isSolved <input type="radio"/> Reset </div> </div> <div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> <div style="width: 45%;"> <p>Read-Write Attributes</p> <div style="border: 1px solid black; height: 100px;"></div> </div> <div style="width: 45%;"> <p>Read-Only Attributes</p> <div style="border: 1px solid black; height: 100px;"></div> </div> </div> </div> </div>				
<div style="display: flex; justify-content: space-between;"> <div>Date Created <input type="text" value="1998-09-22"/></div> <div>Last Modified <input type="text" value="1998-09-22"/></div> </div>				

FIG. 11




FIG. 12

9/15




FIG. 13A




FIG. 13B




FIG. 14




FIG. 15




FIG. 16

13/15




FIG. 17

TITLE: LOCALLY ADAPTABLE CENTRAL SECURITY MANAGEMENT IN A
HETEROGENEOUS NETWORK ENVIRONMENT

INVENTOR'S NAME: Daniel J. Thomsen, et al.

SERIAL NO.: 09/483,164 DOCKET NO.: 105.174US1 REPLACEMENT SHEET

14/15




FIG. 18




FIG. 19